


METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 1




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

Figure 2



METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

Figure 3





FIGURE 4




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 5




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 6




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 7




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

*Floege et al.*

*Appl. No.: Not Assigned Atty Docket: ABGENIX.052A*

**FIGURE 8**



Normal

Thy-1 Nephritis




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 9

Simulated Human Antibody Levels in Rats  
Following I.P. Dosing




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 10





**METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES**

*Floege et al.*

*Appl. No.: Not Assigned Atty Docket: ABGENIX.052A*

**FIGURE 11**




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 12



Nephritic Rats:

- Anti-PDGF-D IgG, 5 + 2 mg/kg, n=7 (d8), n=4 (d5)
- Anti-PDGF-D IgG, 10 + 4 mg/kg, n=7 (d8), n=4 (d5)
- Anti-PDGF-D IgG, 20 + 8 mg/kg, n=8 (d8), n=4 (d5)
- Control-IgG, 20 + 8 mg/kg, n=8 (d8), n=4 (d5)
- PBS alone, n=9 (d8), n=4 (d5)

Non-Nephritic Rats:

- Anti-PDGF-D IgG, 10 + 4 mg/kg, n=5
- Control-IgG, 10 + 4 mg/kg, n=4


\* = p < 0.05

METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 13




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 14




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 15




METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 16






**METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES**

*Floege et al.*

*Appl. No.: Not Assigned Atty Docket: ABGENIX.052A*

**FIGURE 17**



METHOD FOR THE TREATMENT OF NEPHRITIS USING ANTI-  
PDGF-DD ANTIBODIES

Floege et al.

Appl. No.: Not Assigned Atty Docket: ABGENIX.052A

FIGURE 18

Immunohistochemical staining of normal and diseased human kidney

